

WhizHip

HIGH PRESSURE
COOLANT CONNECTIONS

**WhizCut®**

Smart solutions on the cutting edge

WhizHip

COOLING IN THE
RIGHT PLACE
WITH THE RIGHT
CONNECTION



WHIZHIP IS THE IDEAL MATCH BETWEEN A COMPLETE HIGH PRESSURE COOLANT SYSTEM AND THE WHIZCUT TOOLHOLDERS WHIZHIP AND WHIZIN. MOST WHIZCUT INSERTS AND BORING BARS CAN BE COMBINED WITH A COOLANT-THROUGH HOLDER.

Flexible

WhizHip is a distribution system for high pressure coolant, capable of handling pressures up to 200 bar, and at the same time is flexible for setup and tool changes.

The system is carefully developed with flexible and hardwearing stainless steel braided hoses, quick change couplings and adjustable nozzles. WhizHip high pressure coolant system performs great, leading to shorter machining times, less machine stops and a more consistent process. And there is more to it: it is extremely versatile, flexible and easy to install and change.

Time saving

WhizHip Connect meets the ever changing conditions in a modern machine shop. When changing tools the hoses can be connected to the quick change coupling without the use of any other tools.

When there is no possibility of internal coolant, WhizCut offers a bendable stainless hose with an adjustable nozzle, that quickly can be positioned to the right cutting zone as it does not twist in the coupling. This means no more reaching in difficult places with extra tools.

Exact

WhizHip and WhizIn toolholders are all prepared for internal high pressure coolant. The high pressure coolant is led through the toolholder and exits with precisely directed jets. The coolant shoots close to the cutting zone, perfectly controlled, between the forming chip and the cutting edge. Coolant pointed at the exact position gives consistent perfor-

mance and better parts. When using high pressure it controls and breaks the chip thanks to its concentration at the cutting edge.

Stable

WhizHip is great for high pressure and can be used for up to 200 Bar (2900 PSI).



The metal braided hosing is designed to be flexible and at the same time to withstand heat from hot chips shooting from the material.

The WhizHip distribution system includes five or eight way distribution blocks which are easily mounted in the machine.

Perfect setup

Please contact your local WhizCut representative who will help you to get the perfect setup that suits your machines and applications the best way.

*WhizHip takes the heat off your tools
and tool change.
A high pressure coolant system that is quick,
adjustable and easy to use.*




WhizHip benefits

- Flexible with bendable metal hosing.
- Fast and easy tool setup and tool change.
- High quality materials suitable up to 200 bar.
- Increased machine speed, prolonged tool life and fewer stops.
- Consistent performance and improved chip control.

Hose set - stainless steel braided - quick release




Hose set with plug, flex-tube 100, 200 & 300 mm
straight connection, stainless steel



PART NBR	DESCRIPTION	THREAD	THREAD ADAPT.	LENGTH MM	WRENCH
103375	HOSE SET M8X1 100	M8X1	M10X1, G1/8	100	SW 11+13
102686	HOSE SET M8X1 200	M8X1	M10X1, G1/8	200	SW 11+13
101991	HOSE SET M8X1 300	M8X1	M10X1, G1/8	300	SW 11+13
103375U	HOSE SET M8X1 100	M8X1	M10X1, 1/8" NPT	100	SW 11+13
102686U	HOSE SET M8X1 200	M8X1	M10X1, 1/8" NPT	200	SW 11+13
101991U	HOSE SET M8X1 300	M8X1	M10X1, 1/8" NPT	300	SW 11+13
103376	HOSE SET 1/8" NPT 100	1/8" NPT		100	SW 11+13
102938	HOSE SET 1/8" NPT 200	1/8" NPT		200	SW 11+13
102186	HOSE SET 1/8" NPT 300	1/8" NPT		300	SW 11+13
103453	MINI HOSE SET M5X0,8 100	M5X0,8	M6X1 M8X1	100	
103452	MINI HOSE SET M5X0,8 200	M5X0,8	M6X1 M8X1	200	
102441	MINI HOSE SET M5X0,8 300	M5X0,8	M6X1 M8X1	300	




Hose set with plug, flex-tube 100, 200 & 300 mm
90° angled with banjo bolt M8x1 thread connection, stainless steel



PART NBR	DESCRIPTION	THREAD	THREAD ADAPT.	LENGTH MM	WRENCH
103449	ANGLED HOSE SET M8X1 100	M8X1	M10X1, G1/8	100	SW 13+14
103448	ANGLED HOSE SET M8X1 200	M8X1	M10X1, G1/8	200	SW 13+14
101992	ANGLED HOSE SET M8X1 300	M8X1	M10X1, G1/8	300	SW 13+14
103451	ANGLED HOSE SET 1/8" NPT 100	M8X1	M8X1, 1/8" NPT	100	SW 13+14
103450	ANGLED HOSE SET 1/8" NPT 200	M8X1	M8X1, 1/8" NPT	200	SW 13+14
102182	ANGLED HOSE SET 1/8" NPT 300	M8X1	M8X1, 1/8" NPT	300	SW 13+14

Nozzles - for external coolant




101993



102529



102625



103394




103395


Nozzles | copper, stainless steel, locks with coupling

PART NB	DESCRIPTION	LENGTH	ADDITIONAL INFO
101993	ANGLED PLUG, FLEXIBLE NOZZLE	150	COPPER NOZZLE
102529	ANGLED PLUG, FLEXIBLE AND ADJUSTABLE NOZZLE	200	ADJUSTABLE TIP ,STAINLESS
102625	STRAIGHT PLUG, FLEXIBLE, STAINLESS STEEL	200	ADJUSTABLE TIP ,STAINLESS
103394	STRAIGHT ADJUSTABLE NOZZLE M6X0,5 THREAD	0	FOR EXTERNAL COOLANT
103395	ANGLED ADJUSTABLE NOZZLE M6X0,5 THREAD	0	FOR EXTERNAL COOLANT

Coupling - steel quick release



A



B



C



D




E

Coupling | stainless steel connection outside thread

PART NB	DESCRIPTION	ADDITIONAL INFO	PIC
101994	COUPLING – G1/8"	INCLUDES A SEAL PLUG	A
101995	COUPLING – M10X1	INCLUDES A SEAL PLUG	A
102184	COUPLING – 1/8"NPT	INCLUDES A SEAL PLUG	A
103428	COUPLING - AN/JIC4	INCLUDES A SEAL PLUG	E
102498	ANGLED COUPLING - M8X1	INCLUDES A SEAL PLUG	B
102654	ANGLED COUPLING G1/8	INCLUDES A SEAL PLUG	B
103560	ANGLED COUPLING - 1/8"NPT	INCLUDES A SEAL PLUG	B
102038	TOOLHOLDER COUPLING+ADAPTOR	INSIDE THREAD M8X1 TO PLUG	D
102449	MINI PLUG 1 COUPLING - M5	MINI VERSION INC SEAL PLUG	A/ C

Manifolds and inlets




Manifold type A | 5-way, steel burnished

PART NO	PRODUCT NAME	OUTLETS	ADDITIONAL INFO
101990	G 1/8 OUTLET G 1/4 INLET	5	INCL. 2 SEAL PLUGS
102221	1/8" NPT OUTLET 1/4" NPT INLET	5	INCL. 2 SEAL PLUGS
102533	G 1/8 OUTLET G 1/4 INLET FOR STAR SR-20 RIV	4	CENTER HOLE FOR FASTENING

Manifold type B | 8-way, steel burnished


PART NO	PRODUCT NAME	ADDITIONAL INFO
101997	G 1/8 OUTLET G 1/4 INLET	INCLUDES 4 SEAL PLUGS
102220	1/8" NPT OUTLET 1/4" NPT INLET	INCLUDES 4 SEAL PLUGS



Manifold type round | 3-way

PART NO	PRODUCT NAME	ADDITIONAL INFO
102440	G1/4 AND Ø8MM	INCLUDES ADAPTOR, CONNECTION FITTING & 3 COUPLINGS

Inlet connection feed line



PART NO	PRODUCT NAME	ADDITIONAL INFO
101961	CONNECTION FEED LINE, FLEX-TUBE MINIPLUG 5, 300 MM	ND 5, TUBE STAINLESS STEEL, OUTSIDE END G1/4", PIPE END
102166	CONNECTION FEED LINE, FLEX-TUBE MINIPLUG 5, UP TP 1000 MM	ND 5, TUBE STAINLESS STEEL, OUTSIDE THREAD G1/4", PIPE END
102190	NPT CONNECTION FEED LINE, FLEX-TUBE MINIPLUG 5, 300 MM	ND 5, TUBE STAINLESS STEEL, OUTSIDE THREAD 1/4"NPT, PIPE END
102609	NPT CONNECTION FEED LINE, FLEX-TUBE MINIPLUG 5, UP TO 1000 MM	ND 5, TUBE STAINLESS STEEL, OUTSIDE THREAD 1/4"NPT, PIPE END

Extras

Plugs and thread adaptors




PART NO	PRODUCT NAME	PART NO	PRODUCT NAME
101980	M 8X1 FEMALE TO G 1/8 MALE	102292	G1/8 FEMALE TO G1/4 MALE
101979	M 8X1 FEMALE TO M 10X1 MALE	101919	SEAL PLUG
102585	M 8X1 FEMALE TO M 8X1 MALE Ø9,5	102042	M 8X1 FEMALE TO MINIPLUG-JACK
102915	M 8X1 FEMALE TO M 12 MALE	102601	M 8X1 FEMALE TO MINIPLUG-JACK
102188	M 8X1 FEMALE TO 1/8" NPT MALE	102683	M 8X1 MALE TO MINIPLUG-JACK
102435	M 8X1 FEMALE TO M5 MALE	102685	NPT 1/8 FEMALE TO MINIPLUG-JACK
102434	M 8X1 FEMALE TO M6 MALE	102602	NPT 1/4 FEMALE TO MINIPLUG-JACK
102864	M 8X1 FEMALE TO M8 MALE	102913	UNF 7/16 FEMALE TO MINIPLUG-JACK
102914	G1/8 FEMALE TO UNF7/16-20 MALE	102928	COLLET ER16 TO G1/8 FEMALE
		102751	CUTTING RING Ø4 MM

Toolholders

WhizHip


WhizHip is a series of toolholders with high pressure coolant lead through the toolholder.

The optimal coolant point is between the chip and the cutting edge with improved cooling effect, chip control and tool life.




WhizFix Clamping

Index or change an insert in 15 seconds with WhizFix Clamping. The toolholder, with high pressure coolant, can still be in the machine with no change to the setting - you can return to full production faster.





WhizIn

The boring bar is mounted in an angle in the toolholder giving a more stable and rigid tool. It is specially designed to improve productivity of internal applications.




Choose your toolholders from the selection on the next pages or visit WhizCut.com for more options.



WhizFix Clamping


WPJ | WhizFix toolholders for high pressure coolant

TOOLHOLDER	H	B	L	F	INSERT	PLUG	PIN + NUT	BIT	STOCK	PRICE GROUP
WPJ15ER 1010H-8C	10	10	100	10	J15ER	M8X1	PIN 12	J5	R	A82
WPJ15ER 1010K-8C	10	10	125	10	J15ER	M8X1	PIN 12	J5	R	A82
WPJ15ER 1212K-8C	12	12	125	12	J15ER	1/8 NPT	PIN 12	J5	R	A82
WPJ15ER 0500K-8C	1/2"	1/2"	125	1/2"	J15ER	1/8 NPT	PIN 12	J5	R	A82
WPJ15ER 1616K-8C	16	16	125	16	J15ER	1/8 NPT	PIN 12	J5	R	A83
WPJ20ER 1216K-8C	12	16	125	16	J20ER	1/8 NPT	PIN 16	K3	R	A82
WPJ20ER 0516K-8C	1/2"	16	125	16	J20ER	1/8 NPT	PIN 16	K3	R	A82
WPJ20ER 1616K-8C	16	16	125	16	J20ER	1/8 NPT	PIN 16	K3	R	A83
WPJ20ER 2020K-8C	20	20	125	20	J20ER	1/8 NPT	PIN 16	K3	R	A83



WSJ | Toolholders for high pressure coolant

TOOLHOLDER	H	B	L	F	INSERT	PLUG	SCREW	KEY	STOCK	PRICE GROUP
WSJ15ER 1010H-8C	10	10	100	10	J15ER	M8X1	M3X7	J3IP	R	A72
WSJ15ER 1010K-8C	10	10	125	10	J15ER	M8X1	M3X7	J3IP	R	A72
WSJ15ER 1212K-8C	12	12	125	12	J15ER	1/8 NPT	M3X7	J3IP	R	A72
WSJ15ER 0500K-8C	1/2"	1/2"	125	1/2"	J15ER	1/8 NPT	M3X7	J3IP	R	A72
WSJ15ER 1616K-8C	16	16	125	16	J15ER	1/8 NPT	M3X7	J3IP	R	A73
WSJ20ER 1216K-8C	12	16	125	16	J20ER	1/8 NPT	M4X9	J4	R	A72
WSJ20ER 0516K-8C	1/2"	16	125	16	J20ER	1/8 NPT	M4X9	J4	R	A72
WSJ20ER 1616K-8C	16	16	125	16	J20ER	1/8 NPT	M4X9	J4	R	A73
WSJ20ER 2020K-8C	20	20	125	20	J20ER	1/8 NPT	M4X9	J4	R	A74
WSJ20ER 2525M-8C	25	25	150	25	J20ER	1/8 NPT	M4X9	J4	R	A74
WSJ20ER 1000M-8C	1"	1"	150	1"	J20ER	1/8 NPT	M4X9	J4	R	A74




WSJ | Shifted WhizHip toolholders for high pressure coolant

TOOLHOLDER	H	B	L	F	INSERT	PLUG	SCREW	KEY	STOCK	PRICE GROUP
WSJ15ER 1020H-8C	10	20	100	10	J15ER	M8X1	M3X7	J3IP	R	A72
WSJ15ER 1224K-8C	12	24	125	12	J15ER	1/8 NPT	M3X7	J3IP	R	A72
WSJ15ER 0510K-8C	1/2"	1"	125	1/2"	J15ER	1/8 NPT	M3X7	J3IP	R	A72
WSJ15ER 1632K-8C	16	32	125	16	J15ER	1/8 NPT	M3X7	J3IP	R	A73

Stock status:

- A ER Stock standard, EL Stock standard
- B ER Stock standard, EL Against inquiry
- C EL Stock standard, ER Against inquiry
- R ER Stock standard only
- L EL Stock standard only
- K ER Against inquiry, EL Against inquiry






WhizFix Clamping


WPK | WhizHip toolholders for high pressure coolant

TOOLHOLDER	H	B	L	F	INSERT	PLUG	PIN + NUT	BIT	STOCK	PRICE GROUP
WPK15ER 1010H-2C	10	10	100	10	K15ER	M8X1	PIN12	J5	R	A82
WPK15ER 1010K-2C	10	10	125	10	K15ER	M8X1	PIN12	J5	R	A82
WPK15ER 1212K-2C	12	12	125	12	K15ER	1/8 NPT	PIN12	J5	R	A82
WPK15ER 0500K-2C	1/2"	1/2"	125	1/2"	K15ER	1/8 NPT	PIN12	J5	R	A82
WPK15ER 1616K-2C	16	16	125	16	K15ER	1/8 NPT	PIN12	J5	R	A83




WSK | WhizHip toolholders for high pressure coolant

TOOLHOLDER	H	B	L	F	INSERT	PLUG	SCREW	KEY	STOCK	PRICE GROUP
WSK15ER/L 1010H-2C	10	10	100	10	K15ER	M8X1	M3X7	J3IP	B	A72
WSK15ER/L 1010K-2C	10	10	125	10	K15ER	M8X1	M3X7	J3IP	B	A72
WSK15ER/L 1212K-2C	12	12	125	12	K15ER	1/8 NPT	M3X7	J3IP	B	A72
WSK15ER/L 0500K-2C	1/2"	1/2"	125	1/2"	K15ER	1/8 NPT	M3X7	J3IP	B	A72
WSK15ER/L 1616K-2C	16	16	125	16	K15ER	1/8 NPT	M3X7	J3IP	B	A73
WSK20ER 1216K-2C	12	16	125	16	K20ER	1/8 NPT	M4X9	J4	R	A72
WSK20ER 0516K-2C	1/2"	16	125	16	K20ER	1/8 NPT	M4X9	J4	R	A72
WSK20ER 1616K-2C	16	16	125	16	K20ER	1/8 NPT	M4X9	J4	R	A73
WSK20ER 2020K-2C	20	20	125	20	K20ER	1/8 NPT	M4X9	J4	R	A74
WSK20ER 2525M-2C	25	25	150	25	K20ER	1/8 NPT	M4X9	J4	R	A74
WSK20ER 1000M-2C	1"	1"	150	1"	K20ER	1/8 NPT	M4X9	J4	R	A74




WSK | WhizHip toolholders for parting off small parts

TOOLHOLDER	C	B	H	L	I	F	IN- SERT	PLUG	SCREW	KEY	STOCK	PRICE GROUP
WSK15ER 1010H-2CA	10	10	10	100	18	5	K15ER	M8	M3X5	J3IP	R	A72
WSK15ER 1010K-2CA	10	10	10	125	18	5	K15ER	M8	M3X5	J3IP	R	A72
WSK15ER 1212K-2CA	12	12	12	125	18	5	K15ER	1/8 NPT	M3X5	J3IP	R	A72
WSK15ER 0500K-2CA	1/2"	1/2"	1/2"	125	18	5	K15ER	1/8 NPT	M3X5	J3IP	R	A72
WSK15ER 1616K-2CA	16	16	12	125	25,4	5	K15ER	1/8 NPT	M3X5	J3IP	R	A73




WSK | Shifted WhizHip toolholders for high pressure coolant

TOOLHOLDER	H	B	L	F	INSERT	PLUG	SCREW	KEY	STOCK	PRICE GROUP
WSK15ER 1020H-2C	10	20	100	10	K15ER	M8X1	M3X7	J3IP	B	A72
WSK15ER 1224K-2C	12	24	125	12	K15ER	1/8 NPT	M3X7	J3IP	B	A72
WSK15ER 0510K-2C	1/2"	1"	125	1/2"	K15ER	1/8 NPT	M3X7	J3IP	B	A72
WSK15ER 1632K-2C	16	32	125	16	K15ER	1/8 NPT	M3X7	J3IP	B	A73




TPT | WhizHip toolholders for high pressure coolant

TOOLHOLDER	B	H	L	F	A	INSERT	PIN + NUT	PLUG	BIT	STOCK	PRICE GROUP
TPT13ER 1010H-2C	10	10	100	10	2°	T13ER/EN	PIN12	M8X1	J5	R	A82
TPT13ER 1010K-2C	10	10	125	10	2°	T13ER/EN	PIN12	M8X1	J5	R	A82
TPT13ER 1010H-4C	10	10	100	10	4°	T13ER/EN	PIN12	M8X1	J5	R	A82
TPT13ER 1010K-4C	10	10	125	10	4°	T13ER/EN	PIN12	M8X1	J5	R	A82
TPT13ER 0375K-2C	3/8"	3/8"	125	3/8"	2°	T13ER/EN	PIN12	M8X1	J5	R	A82
TPT13ER 0375K-4C	3/8"	3/8"	125	3/8"	4°	T13ER/EN	PIN12	M8X1	J5	R	A82
TPT13ER 1212K-2C	12	12	125	12	2°	T13ER/EN	PIN12	1/8 NPT	J5	R	A82
TPT13ER 1212K-4C	12	12	125	12	4°	T13ER/EN	PIN12	1/8 NPT	J5	R	A82
TPT13ER 0500K-2C	1/2"	1/2"	125	1/2"	2°	T13ER/EN	PIN12	1/8 NPT	J5	R	A82
TPT13ER 0500K-4C	1/2"	1/2"	125	1/2"	4°	T13ER/EN	PIN12	1/8 NPT	J5	R	A82
TPT13ER 1616K-2C	16	16	125	16	2°	T13ER/EN	PIN12	1/8 NPT	J5	R	A83



TST | WhizHip toolholders for high pressure coolant


TOOLHOLDER	B	H	L	F	A	INSERT	SCREW	PLUG	KEY	STOCK	PRICE GROUP
TST13ER 1010H-2C	10	10	100	10	2°	T13ER/EN	M3X7	M8X1	J3IP	R	A72
TST13ER 1010K-2C	10	10	125	10	2°	T13ER/EN	M3X7	M8X1	J3IP	R	A72
TST13ER 1010H-4C	10	10	100	10	4°	T13ER/EN	M3X7	M8X1	J3IP	R	A72
TST13ER 1010K-4C	10	10	125	10	4°	T13ER/EN	M3X7	M8X1	J3IP	R	A72
TST13ER 0375K-2C	3/8"	3/8"	125	3/8"	2°	T13ER/EN	M3X7	M8X1	J3IP	R	A72
TST13ER 0375K-4C	3/8"	3/8"	125	3/8"	4°	T13ER/EN	M3X7	M8X1	J3IP	R	A72
TST13ER 1212K-2C	12	12	125	12	2°	T13ER/EN	M3X7	1/8 NPT	J3IP	R	A72
TST13ER 1212K-4C	12	12	125	12	4°	T13ER/EN	M3X7	1/8 NPT	J3IP	R	A72
TST13ER 0500K-2C	1/2"	1/2"	125	1/2"	2°	T13ER/EN	M3X7	1/8 NPT	J3IP	R	A72
TST13ER-4C0500K	1/2"	1/2"	125	1/2"	4°	T13ER/EN	M3X7	1/8 NPT	J3IP	R	A72
TST13ER 1616K-2C	16	16	125	16	2°	T13ER/EN	M3X7	1/8 NPT	J3IP	R	A73



TST | Shifted WhizHip toolholders for high pressure coolant


TOOLHOLDER	H	B	L	F	A	INSERT	SCREW	PLUG	KEY	STOCK	PRICE GROUP
TST13ER 1020H-2C	10	20	100	10	2°	T13ER/EN	M3X7	M8X1	J3IP	R	A72
TST13ER 1020H-4C	10	20	100	10	4°	T13ER/EN	M3X7	M8X1	J3IP	R	A72
TST13ER 1224K-2C	12	24	125	12	2°	T13ER/EN	M3X7	1/8 NPT	J3IP	R	A72
TST13ER 1224K-4C	12	24	125	12	4°	T13ER/EN	M3X7	1/8 NPT	J3IP	R	A72
TST13ER 0510K-2C	1/2"	1"	125	1/2"	2°	T13ER/EN	M3X7	1/8 NPT	J3IP	R	A72
TST13ER 0510K-4C	1/2"	1"	125	1/2"	4°	T13ER/EN	M3X7	1/8 NPT	J3IP	R	A72
TST13ER 1632K-2C	16	32	125	16	2°	T13ER/EN	M3X7	1/8 NPT	J3IP	R	A73





DSJ, DSK & DSKJ | WhizHip double insert toolholders

TOOLHOLDER	D	A	L	I	INSERT X 2	COOLANT THREAD	SCREW	KEY	STOCK	PRICE GROUP
DSJ15ER 0016M-8C	16	12	150	25	J15ER	1/8" NPT	M3X7	J3IP	R	A87
DSJ15ER 0750M-8C	3/4"	12	150	25	J15ER	1/8" NPT	M3X7	J3IP	R	A87
DSJ15ER 0020M-8C	20	12	150	25	J15ER	1/8" NPT	M3X7	J3IP	R	A87
DSJ15ER 0022M-8C	22	12	150	25	J15ER	1/8" NPT	M3X7	J3IP	R	A87
DSK15ER 0016M-2C	16	12	150	25	K15ER	1/8" NPT	M3X7	J3IP	R	A87
DSK15ER 0750M-2C	3/4"	12	150	25	K15ER	1/8" NPT	M3X7	J3IP	R	A87
DSK15ER 0020M-2C	20	12	150	25	K15ER	1/8" NPT	M3X7	J3IP	R	A87
DSK15ER 0022M-2C	22	12	150	25	K15ER	1/8" NPT	M3X7	J3IP	R	A87
DSKJ15ER 0016M-2C	16	12	150	25	J&K15ER	1/8" NPT	M3X7	J3IP	R	A87
DSKJ15ER 0750M-2C	3/4"	12	150	25	J&K15ER	1/8" NPT	M3X7	J3IP	R	A87
DSKJ15ER 0020M-2C	20	12	150	25	J&K15ER	1/8" NPT	M3X7	J3IP	R	A87
DSKJ15ER 0022M-2C	22	12	150	25	J&K15ER	1/8" NPT	M3X7	J3IP	R	A87



WRC | Round toolholders for internal coolant

TOOLHOLDER	D	D BAR SIZE	L	L WITH STANDARD INSERT	BORING BAR	STOCK	PRICE GROUP
WRC3N 0812E-2	8	3	60,5	72,5	C3N---	R	B20
WRC4N 0812E-2	8	4	60,5	77	C4N---	R	B20
WRC3N 0012E-2	12	3	70	82	C3N---	R	B20
WRC4N 0012E-2	12	4	75	91,5	C4N---	R	B20
WRC3N 0016F-2	16	3	80	92	C3N---	R	B21
WRC4N 0016F-2	16	4	85	101,5	C4N---	R	B21
WRC5N 0016G-2	16	5	90	111	C5N---	R	B21
WRC6N 0016G-2	16	6	95	121	C6N---	R	B21
WRC3N 0750H-2	3/4"	3	100	112	C3N---	R	B22
WRC4N 0750H-2	3/4"	4	105	121,5	C4N---	R	B22
WRC5N 0750J-2	3/4"	5	110	131	C5N---	R	B22
WRC6N 0750J-2	3/4"	6	115	141	C6N---	R	B22
WRC8N 0750J-2	3/4"	8	120	165	C8N---	R	B22
WRC3N 0020H-2	20	3	100	112	C3N---	R	B22
WRC4N 0020H-2	20	4	105	121,5	C4N---	R	B22
WRC5N 0020J-2	20	5	110	131	C5N---	R	B22
WRC6N 0020J-2	20	6	115	141	C6N---	R	B22
WRC8N 0020J-2	20	8	120	165	C8N---	R	B22
WRC3N 0022J-2	22	3	110	122	C3N---	R	B23
WRC4N 0022J-2	22	4	115	131,5	C4N---	R	B23
WRC5N 0022J-2	22	5	120	141	C5N---	R	B23
WRC6N 0022K-2	22	6	125	151	C6N---	R	B23
WRC8N 0022K-2	22	8	130	175	C8N---	R	B23
WRC3N 0025J-2	25	3	110	122	C3N---	R	B24
WRC4N 0025J-2	25	4	115	131,5	C4N---	R	B24
WRC5N 0025J-2	25	5	120	141	C5N---	R	B24
WRC6N 0025K-2	25	6	125	151	C6N---	R	B24
WRC8N 0025K-2	25	8	130	175	C8N---	R	B24
WRC3N 1000J-2	1"	3	110	122	C3N---	R	B24
WRC4N 1000J-2	1"	4	115	131,5	C4N---	R	B24
WRC5N 1000J-2	1"	5	120	141	C5N---	R	B24
WRC6N 1000K-2	1"	6	125	151	C6N---	R	B24
WRC8N 1000K-2	1"	8	130	175	C8N---	R	B24

Stock status:

- A ER Stock standard, EL Stock standard
- B ER Stock standard, EL Against inquiry
- C EL Stock standard, ER Against inquiry
- R ER Stock standard only
- L EL Stock standard only
- K ER Against inquiry, EL Against inquiry

WhizCut of Sweden AB
Rundgången 12C
254 52 Helsingborg
Sweden

Tel. +46 42 322500

sales@whizcut.com
www.whizcut.com

WhizCut America Inc.
101 East Pier Street
PO Box 345
Port Washington
WI 53074-0345
USA

Tel. (262) 284-3830

sales.america@whizcut.com
www.whizcut.com



WhizCut®